

Type:_____ Qty:_____

Project:_____



HELIUM LYTE

SILENTIUM 1 WALL WASH



Round Wall Wash
Trim Fixed



Round Wall Wash
Trimless Fixed



Square Wall Wash
Trim Fixed



Square Wall Wash
Trimless Fixed

Design Features:

- Made with high powered BRIDGELUX led chip that maintains high lumens per watt with 90+ CRI.
- Available in TRIAC / 0-10v and DALI dimming.
- Standard remodel installation, new construction housing available.
- LED modules and drivers are easily replaceable.
- IC Rated Housing Available up to 10W.
- Extruded aluminium heat sink ensures optimal heat dissipation and LED life.
- 5 Year warranty.



Warranty



DAMP Rated



TRIAC



Dimming



DALI



Intertek

SILENTIUM 1 WALL WASH

Specs Code:

FIXTURE ID 1	TRIM OPTION 2	TRIM STYLE 3	TRIM FINISH 4	LUMENS/ WATT 5
Silentium 1 Wall Wash Round SLTM1-WW-RO	Trim TRM Trimless TRML	Fixed FX	White WH Black BLK	L398 / 10W L39/10W
Silentium 1 Wall Wash Square SLTM1-WW-SQ				
LED OPTION 6	BEAM ANGLE 7	DIMMING 8	HOUSING 9	VOLTAGE 10
2700K 27K	Wall Wash WW	TRIAC TRIAC	New Construction NC	120V 120V
3000K 30K		0-10V DMV	IC Rated Housing IC	120-277V UNV
3500K 35K		DALI DALI		
4000K 40K				
Dim To Warm DTW				

Order Guide:

1

2

3

4

5

6

7

8

9

10

*Example : SLTM1-WW-RO-TRM-FX-BLK-L39/10W-40K-WW-TRIAC-NC-UNV



Warranty



DAMP Rated



TRIAC



Dimming



DALI




Intertek


SILENTIUM 1 WALL WASH

Product Details:


Round Wall Wash Trim Fixed




Round Wall Wash Trimless Fixed



Square Wall Wash Trim Fixed



Square Wall Wash Trimless Fixed




SILENTIUM 1 WALL WASH


Product Details:

Round Wall Wash

New Construction Plate for Trim / Trimless




IC Box For Upto 10W




Square Wall Wash

New Construction Plate for Trim / Trimless



IC Box For Upto 10W



Warranty



DAMP Rated



TRIAC



Dimming







DALI



Intertek

SILENTIUM 1 WALL WASH


Mounting Details:




SILENTIUM 1 WALL WASH

Photometric:

Round Adjustable -10W-Wall Wash



Square Adjustable -10W-Wall Wash



Lighting Chart:

WATT	LUMENS	CCT	CRI
10W	398 lm	3000K	CRI90





SILENTIUM 1 WALL WASH

Remote Driver Details:


PWM 5 in 1 Dimmable LED driver



HL-040-DW

Triac / 0-10V/1-10V/Potentiometer/10V
Multi-current output series 40W
For 1~3T


Gear Box




HL-040-DWJ

Triac/Phase, 0-10V, 1-10V, Potentiometer
10V PWM 5 in 1 dimming
40W 1~3T

Installation For Non-IC



Installation For IC Box



Warranty



DAMP Rated



TRIAC



Dimming



DALI



Intertek

SILENTIUM 1 WALL WASH

Technical Details:

Material	Aluminium
Trim Options	Trim / Trimless
Trim Style	Fixed
Trim Finish	White / Black
Lumens	Upto 398lm Non IC And IC Rated
Wattage	10W
Efficacy	39 Lm/W
UGR	<16
CRI	90+
CCT	2700K / 3000K / 3500K / 4000K / DTW
Beam Angle	Wall Wash
Dimming	TRIAC / 0-10V / DALI
Voltage	120V / 120-277V
Housing	Non IC Rated / IC Rated
Certification	ETL LISTED / DAMP RATED



Warranty



DAMP Rated



TRIAC



Dimming



DALI



Intertek