

Type:_____ Qty:_____

Project:_____



HELIUM LYTE

SILENTIUM 3 WALL WASH



Round Wall Wash
Trim Fixed



Round Wall Wash
Trimless Fixed



Square Wall Wash
Trim Fixed



Square Wall Wash
Trimless Fixed

Design Features:

- Made with high powered BRIDGELUX led chip that maintains high lumens per watt with 90+ CRI.
- Available in TRIAC / 0-10v and DALI dimming.
- Standard remodel installation, new construction housing available.
- LED modules and drivers are easily replaceable.
- IC Rated Housing Available up to 18W.
- Extruded aluminium heat sink ensures optimal heat dissipation and LED life.
- 5 Year warranty.



Warranty



DAMP Rated



TRIAC



Dimming



DALI



Intertek

SILENTIUM 3 WALL WASH

Specs Code:

FIXTURE ID 1	TRIM OPTION 2	TRIM STYLE 3	TRIM FINISH 4	LUMENS/ WATT 5
Silentium 3 Wall Wash Round SLTM3-WW-RO	Trim TRM Trimless TRML	Fixed FX	White WH Black BLK	L850 / 18W L85/18W L853 / 20W L85/20W
Silentium 3 Wall Wash Square SLTM3-WW-SQ				
LED OPTION 6	BEAM ANGLE 7	DIMMING 8	HOUSING 9	VOLTAGE 10
2700K 27K	Wall Wash WW	TRIAC TRIAC	New Construction NC	120V 120V
3000K 30K		0-10V DMV	IC Rated Housing IC	120-277V UNV
3500K 35K		DALI DALI		
4000K 40K				
Dim To Warm DTW				

Order Guide:

1
2
3
4
5
6

7
8
9
10

*Example : SLTM3-WW-RO-TRM-FX-BLK-L12/18W-40K-WW-TRIAC-NC-UNV



Warranty



DAMP Rated



TRIAC



Dimming



DALI




Intertek

SILENTIUM 3 WALL WASH


Product Details:

Round Wall Wash Trim Fixed




 Cut out : 3⁵/₃₂" (Ø80 mm)

Round Wall Wash Trimless Fixed




 Cut out : 3⁵/₃₂" (Ø80 mm)

Square Wall Wash Trim Fixed



 Cut out : 3⁵/₃₂"X3⁵/₃₂" (80X80mm)

Square Wall Wash Trimless Fixed



 Cut out : 3⁵/₃₂"X3⁵/₃₂" (80X80mm)



Warranty



DAMP Rated



TRIAC



Dimming



DALI




Intertek

SILENTIUM 3 WALL WASH


Product Details:

Round Wall Wash

New Construction Plate for Trim / Trimless




IC Box For Upto 18W




Square Wall Wash

New Construction Plate for Trim / Trimless



IC Box For Upto 18W



Warranty



DAMP Rated



TRIAC



Dimming







DALI



Intertek

SILENTIUM 3 WALL WASH

Mounting Details:



Warranty



DAMP Rated



TRIAC



Dimming



DALI




Intertek


SILENTIUM 3 WALL WASH

Photometric:

Round Fixed -20W-Wall Wash



Square Fixed -20W-Wall Wash




Lighting Chart:

WATT	LUMENS	CCT	CRI
18W	850 lm	3000K	CRI90
20W	853 lm	3000K	CRI90



SILENTIUM 3 WALL WASH

Driver Details:



Internal space dimension:

L 8 1/4" (209mm) X W 1 7/8" (48mm) X H 1 5/16" (33mm)

22B-PUP20A-1WMC

0/1-10V

22B-PUP20D-1WMC

DALI

22B-PUP20T-1LMC

TRIAC



Warranty



DAMP Rated



TRIAC



Dimming



DALI



Intertek



SILENTIUM 3 WALL WASH

Technical Details:

Material	Aluminium
Trim Options	Trim / Trimless
Trim Style	Fixed
Trim Finish	White / Black
Lumens	Upto 853lm Non IC And 850lm IC Rated
Wattage	18W / 20W
Efficacy	47 Lm/W
UGR	<19
CRI	90+
CCT	2700K / 3000K / 3500K / 4000K / DTW
Beam Angle	Wall Wash
Dimming	TRIAC / 0-10V / DALI
Voltage	120V / 120-277V
Housing	Non IC Rated / IC Rated
Certification	ETL LISTED / DAMP RATED



Warranty



DAMP Rated



TRIAC



Dimming



DALI



Intertek