


Type: _____ Qty: _____

Project: _____



HELIUM LYTE

CELL 12 HEAD



Design Features:

- Magnetically held and easily repositioned on site.
- Premium aluminum housing.
- Made with high powered OSARAM led chip that maintains high lumens per watt.
- Available with 20°/ 35° beam angle.
- Specifiable color temperature.
- CRI > 90
- 0-10V and DALI Dimming option available.
- 5 Year warranty.



Magnetic



Year
Warranty



Dimming



DALI



Intertek
US

CELL 12 HEAD



*Ref. Image

Specs Code:

PRODUCT CODE 1	WATT / LUMENS 2	CRI / CCT 3	DIMMING OPTION 4	BEAM ANGLE 5
CELL-12H CELL12H	13W /1100 Lm 13/1100	90 / 2700K 927 90 / 3000K 930 90 / 3500K 935 90 / 4000K 940	0-10V DMV DALI DALI	20 Degree 20D 35 Degree 35D
FINISH 6	ACCESSORIES 7			
White WH Black BK	Not Applicable NA			

Ordering Code:

1

2

3

4

5

6

7


*Example : CELL12H-13/1100-927-DMV-20D-BK-NA





CELL 12 HEAD

Mounting Details:



Magnetic



Warranty



Dimming



DALI




Intertek


CELL 12 HEAD

Photometric:

13W-20 D



13W-35 D



Lighting Chart:

WATT	LUMENS	CCT	CRI
13W	1100 lm	3000K	CRI90



CELL 12 HEAD

Technical Details:

Material	Extruded Aluminum
Head Style	Fixed
Trim Finish	White / Black
Lumens	Upto 1100lm
Wattage	13W
Efficacy	85 Lm/W
UGR	<19
CRI	90+
CCT	2700K / 3000K / 3500K / 4000K
Beam Angle	20° / 35°
Dimming	DALI / 0-10V
Voltage	120V / 120-277V
Housing	Non IC Rated / IC Rated
Certification	ETL LISTED

Disclaimer:

- For other data, please consult sales rep.



Magnetic



Warranty



Dimming



DALI



Intertek