
Project:

RECESSED TRACK



Description:

Our versatile track system seamlessly integrates with lighting fixtures, perfect for commercial and residential spaces. Easily configurable in straight or custom patterns, it offers simple installation and adjustment for tailored illumination solutions.

Design Features:

- · Seamless installation and integration of helium track fixtures.
- Premium extruded aluminium housing.
- Track comes in a 10' max run length.
- Customizable run lengths can be specified.
- High quality powder coating finish.
- Remote constant voltage driver with integral 1% 0-10v and DALI dimming.
- 5 Year warranty.





Dimming

HELIUM LYTE

RECESSED TRACK




*Ref. Image


Specs Code:


FIXTURE ID) 1	LENGTH 2	FINISH	3	DIMMING	4	VOLTAGE	5
Track - Recessed Trim	TRK-RTM	39" 39I 78" 78I 118" 118I	Black -RAL9005	WH BLK CSTM	0-10V DALI	DMV DALI	120V 120-277V	120V UNV
Track - Recessed Drywall Mud Flange	TRK-RDMF	Custom* CST Pattern* PA						

* -Consult factory for custom Length and Pattern.



Mounting Options:





Standard Length



Technical Details:


Material	Extruded Aluminum			
Finish	Polyester Powder Coating			
Colour	White -RAL9016 / Black -RAL9005 / Custom			
Length	39"* / 78"* / 118"* / Custom			
Driver	Remote 48v LED Driver			
Max Electrical Run	300 W Each Circuit			
Dimming	0-10v / TRIAC			

*- Please check disclaimer.



Track Jointer Configuration:

Possibility of Patterns:



Trim Track Accessories:



Accessories Code Guide:

503041-01RTE - Recessed trim installation track Endcap Kit (2pcs/ set)1 set for 1pcs track.

503041-02 - Linear connector with screws.

503041-03 - Power feeder unit with feeder cables 500mm for recessed mounted.

503041-03A - Two way power feeder unit for recessed mounted.

503041-04 - Straight continuous kit, Electrical.

503041-08RT - L shape horizontal connector for recessed trim track with linear connector and flexible electrical connector.

503041-09RT - L shape vertical connector for recessed trim track.

503041-10RT - L Shape outer connector for recessed trim track.

503041-11 - Track rail cover 1000mm.

503041-12RT - T-Shape connector for recessed trim track with linear connector and flexible electrical connector.

503041-13RT - X shape connector for recessed trim track.

503041-16 - 2 Nos. of Screw & Wall Plug kit.

503041-17 - 2 set for every continuous 1,000mm track with screw, (2pcs/ set).





Dimming

DALL

Trimless Track Accessories:



Accessories Code Guide:

503041-01RE - Trimless recessed drywall mud flange installation track Endcap Kit (2pcs/ set)1 set for 1pcs track.

503041-02 - Linear connector with screws.

- **503041-03** Power feeder unit with feeder cables 500mm for recessed mounted.
- 503041-03A Two way power feeder unit for recessed mounted.

503041-04 - Straight continuous kit, Electrical.

503041-08R - L shape horizontal connector for recessed drywall mud flange track with linear connector and flexible electrical connector.

503041-09R - L shape vertical connector for recessed drywall mud flange track.

503041-10R - L Shape outer connector for recessed drywall mud flange track.

503041-11 - Track rail cover 1000mm.

503041-12R - T-Shape connector for recessed drywall mud flange track with linear connector and flexible electrical connector.

503041-13R - X shape connector for recessed drywall mud flange track.

503041-16 - 2 Nos. of Screw & Wall Plug kit.





Dimming