Type:_____ Qty:_____

Project: _____

HELIUM LYTE

UP-DOWN TRACK



Description:

Our versatile track system seamlessly integrates with lighting fixtures, perfect for commercial and residential spaces. Easily configurable in straight or custom patterns, it offers simple installation and adjustment for tailored illumination solutions.

Design Features:

- Seamless installation and integration of helium track fixtures.
- Premium extruded aluminium housing.
- Track comes in a 10' max run length.
- Customizable run lengths can be specified.
- High quality powder coating finish.
- Remote constant voltage driver with integral 1% 0-10v and DALI dimming.
- 5 Year warranty.

0-10V Dimming

DALI

Intertek

UP-DOWN TRACK

*Ref. Image

Specs Code:

FIXTURE ID 1	MOUNTING 2	LENGTH 3	FINISH 4	DIMMING 5
Track - Up/Down **TRK-UD**	Pendant **PEN**	39” **39IN** 78” **78IN** 118” **118IN** Custom* **CSTM** Pattern* **PAT**	White -RAL9016 **WH** Black -RAL9005 **BLK** Custom **CSTM**	0-10V **DMV** DALI **DALI**
VOLTAGE 6				
120V **120V** 120-277V **UNV**				

* -Consult factory for custom Length and Pattern.

Order Guide:

1	2	3	4	5	6

*Example : TRK-UD-PEN-78IN-BLK-DMV-UNV

0-10V Dimming

DALI

Intertek

UP-DOWN TRACK

Mounting Options:

Pendant Mount



Standard Length



0-10V Dimming

DALI

Intertek

UP-DOWN TRACK

Technical Details:

Material	Extruded Aluminium
Finish	Polyester Powder Coating
Colour	White -RAL9016 / Black -RAL9005 / Custom
Length	39”* / 78”* / 118”* / Custom
Driver	Remote 48v LED Driver
Max Electrical Run	300 W Each Circuit
Dimming	0-10v / TRIAC

*- Please check disclaimer.

0-10V Dimming

DALI

Intertek

UP-DOWN TRACK

Track Jointer Configuration:

Possibility of Patterns:

Square

X-Shape

Rectangle

Custom



Note: Consult factory for custom designs.

0-10V Dimming

DALI

Intertek

UP-DOWN TRACK

Accessories:

503069-006-01/02*

503069-043-01/02*

503069-044-01/02*

503069-045-01/02*

503069-046-01/02*

503069-047*

503069-048-01/02*

503069-049-01/02*

503069-052-01/02*

503069-053-01/02*



503069-059-01/02*

Accessories Code Guide:

503069-006-01/02* - Two way Flexible Electrical Connector

503069-043-01/02* - 1pcs ceiling box for power feeder with 2pcs pendant wire kits ,std. length: 2,000mm 2pcs/set for 39” track. - White / Black

503069-044-01/02* - Pendant wire kits for up-down track,standard length: 2,000mm 2pcs/set for 39” track.- White / Black

503069-045-01/02* - Linear connector pendant wire kits standard length:2,000mm.

503069-046-01/02* - Flexible Continuous Kit, Electrical

503069-047 - Linear Connector with Screws for H Track System (Direct Indirect light

503069-048-01/02* - H Track System Endcap Kits(2pcs/set)For Direct Indirect light

503069-049-01/02* - H Track System Endcap Kits with O Shape hole for side cable entry (2pcs/set) for Direct Indirect light

503069-052-01/02* - Live-end Feed with 500mm length cable

503069-053-01/02* - Suspended Live-end Feed with 2,000mm length cable

503069-059-01/02* - Track rail cover 1000mm - White / Black

Note - *(01 - Stands for White & 02 - Stands for Black)

0-10V Dimming

DALI

Intertek